



KCGS350E

- Full-Width Cast Iron Grates
- Five burners - 17k / 10k / 2-9.1k / 5k
- 5,000 BTU Even-Heat™ Simmer Burner
- 17,000 BTU Multiflame Burner
- Electronic Ignition
- Multi Finish Knobs



KCGS356E

- Full-Width Cast Iron Grates
- Five burners - 19k / 12k / 2-9.1k / 5k
- 5,000 BTU Even-Heat™ Simmer Burner
- + 19,000 BTU Multiflame Burner**
- Electronic Ignition



KCGS550E

- + 17,000 BTU Professional Dual Ring Burner**
- + CookShield Finish**
- Full-Width Cast Iron Grates
- Five burners - 17k / 10k / 2-7k / 6k
- + 6,000 BTU Even-Heat™ Simmer Burner**
- Electronic Ignition



KCGG530P

- + Metal Knobs**
- + Gas-On-Glass**
- Full-Width Cast Iron Grates
- Five burners - 18k / 15k / 2-9.1k / 5k
- + 18K BTU Burner**
- Electronic Ignition

+ Indicates Step-Up Feature

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

KC G S 5 5 6 E S S
BRAND

K = KitchenAid®

C K G S 5 5 6 E S S
PLATFORM

C = Cooktop

E K G S 5 5 6 E S S
CONFIGURATION

E = Electric
G = Gas
I = Induction

S K G S 5 5 6 E S S
SUITE LEVEL

D = Downdraft
S = Stainless Surface
G = Smoothtop (Glass)

55 K G S 5 5 6 E S S
FEATURE LEVEL

10-99 = The higher the number the more features available.

6 K G S 5 5 6 E S S
WIDTH

0 = 30 in

6 = 36 in

E K G S 5 5 6 E S S
YEAR OF LAUNCH

E = 2015
G = 2017
H = 2018

J = 2019
K = 2020
P = 2023

SS K G S 5 5 6 E S S
COLOR

BL = Black
SS = Stainless Steel



KCGS556E

+ 20,000 BTU Professional Dual Ring Burner

- CookShield Finish
- Full-Width Cast Iron Grates
- Five burners - 20k / 10k / 2-7k / 6k
- 6,000 BTU Even-Heat™ Simmer Burner
- Electronic Ignition



KCGG536P

+ Metal Knobs + Gas-On-Glass

- Full-Width Cast Iron Grates
- Five burners - 18k / 15k / 2-9.1k / 5k
- **+ 18K BTU Ultra Power™ Burner**
- Electronic Ignition



KCGD500G

+ Downdraft Ventilation

- 17,000 BTU Professional Burner
- Full-Width Cast Iron Grates
- Four burners - 17k / 15k / 10k / 5k
- 5,000 BTU Even-Heat™ Simmer Burner
- Convertible to Duct-Free Ventilation
- Electronic Ignition



KCGD506G

+ Five burners - 17k / 10k / 2-7k / 6k

- Downdraft Ventilation
- 17,000 BTU Professional Burner
- Full-Width Cast Iron Grates
- 5,000 BTU Even-Heat™ Simmer Burner
- Convertible to Duct-Free Ventilation
- Electronic Ignition

+ Indicates Step-Up Feature

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

KC G S 5 5 6 E S S
BRAND

K = KitchenAid®

KC G S 5 5 6 E S S
PLATFORM

C = Cooktop

KC **G** S 5 5 6 E S S
CONFIGURATION

E = Electric
G = Gas
I = Induction

KC G **S** 5 5 6 E S S
SUITE LEVEL

D = Downdraft
S = Stainless Surface
G = Smoothtop (Glass)

KC G S **5 5** 6 E S S
FEATURE LEVEL

10-99 = The higher the number the more features available.

KC G S 5 5 **6** E S S
WIDTH

0 = 30 in

6 = 36 in

KC G S 5 5 6 **E** S S
YEAR OF LAUNCH

E = 2015 J = 2019
G = 2017 K = 2020
H = 2018 P = 2023

KC G S 5 5 6 E **S S**
COLOR

BL = Black
SS = Stainless Steel



KCGS950E

- + Removable Griddle included
- + Multi-Finish Back-lit Knobs
- 17,000 BTU Professional Dual Ring Burner
- CookShield Finish
- Full-Width Cast Iron Grates
- Five burners - 17k / 12k / 10k / 7k / 6k
- + 10,000 BTU Even-Heat™ Torch Burner
- + 6,000 BTU Even-Heat™ Simmer Burner
- Electronic Ignition



KCGS956E

- Removable Griddle included
- Multi-Finish Back-lit Knobs
- + 20,000 BTU Professional Dual Ring Burner
- CookShield Finish
- Full-Width Cast Iron Grates
- Five burners - 20k / 12k / 10k / 7k / 6k
- 10,000 BTU Even-Heat™ Torch Burner
- 6,000 BTU Even-Heat™ Simmer Burner
- Electronic Ignition

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

K C G S 5 5 6 E S S
BRAND

K = KitchenAid®

C K G S 5 5 6 E S S
PLATFORM

C = Cooktop

G C K S 5 5 6 E S S
CONFIGURATION

E = Electric
G = Gas
I = Induction

S C K G 5 5 6 E S S
SUITE LEVEL

D = Downdraft
S = Stainless Surface
G = Smoothtop (Glass)

5 5 6 C K G S 5 5 6 E S S
FEATURE LEVEL

10-99 = The higher the number the more features available.

6 C K G S 5 5 6 E S S
WIDTH

0 = 30 in 6 = 36 in

E C K G S 5 5 6 E S S
YEAR OF LAUNCH

E = 2015 J = 2019
G = 2017 K = 2020
H = 2018

SS C K G S 5 5 6 E S S
COLOR

BL = Black
SS = Stainless Steel

+ Indicates Step-Up Feature

©/™ © 2025 KitchenAid. All rights reserved.



COOKTOPS MODELS	KCGS350E	KCGS356E	KCGS550E	KCGG530P
AVAILABLE COLORS	SS	SS	SS	BL
NUMBER OF BURNERS	5	5	5	5
ADA COMPLIANT	•	•	•	•
FEATURES				
COOKSHIELD FINISH			•	
DIRECT SPARK IGNITION	•	•	•	•
EVEN-HEAT™ SIMMER BURNER	5,000 BTU	5,000 BTU	6,000 BTU	5,000 BTU
FULL-WIDTH CAST-IRON GRATES	•	•	•	•
MULTIFLAME BURNER	17,000 BTU	19,000 BTU	17,000 BTU	
KNOBS	Multi-Finish	Multi-Finish	Multi-Finish	Stainless
PROFESSIONAL BURNER			•	
ACCESSORIES				
GRIDDLE	Optional		Optional	
LP CONVERTIBLE KIT	•	•	•	•
DIMENSIONS				
HEIGHT X WIDTH X DEPTH	3-11/16" X 30" X 21"	3-11/16" X 36" X 21"	3-1/16" X 30" X 21"	5-5/16" X 30-3/8" X 21-3/5"



COOKTOPS MODELS	KCGG536P	KCGG536P	KCGD500G	KCGD506G
AVAILABLE COLORS	SS	BL	SS	SS
NUMBER OF BURNERS	5	5	4	5
ADA COMPLIANT	•	•		
FEATURES				
COOKSHIELD FINISH	•			
DOWNDRAFT*			•	•
DUAL RING BURNER				
DIRECT SPARK IGNITION	•	•	•	•
EVEN-HEAT™ SIMMER BURNER	5,000 BTU	5,000 BTU	5,000 BTU	5,000 BTU
EVEN-HEAT™ TORCH BURNER				
EXHAUST RATING			300 CFM*	300 CFM*
3-SPEED FAN CONTROL			•	•
FLAME-SENSING™ RE-IGNITION			•	•
FULL-WIDTH CAST-IRON GRATES	•	•	•	•
KNOBS	Multi-Finish	Stainless	Multi-Finish	Stainless
MULTIFLAME BURNER	20,000 BTU			
PROFESSIONAL BURNER			17,000 BTU	17,000 BTU
ULTRA POWER™ BURNER		18,000 BTU		
ACCESSORIES				
DUCT-FREE VENTILATION KIT			Optional	Optional
GRIDDLE	Optional			Optional
LP CONVERTIBLE KIT	•	•	•	•
DIMENSIONS				
HEIGHT X WIDTH X DEPTH	3-11/16" X 36" X 21"	5-5/16" X 36-7/8" X 21-3/5"	18-7/16" X 30" X 21-1/2"	18-7/16" X 36" X 21"



COOKTOPS MODELS	KCGS950E	KCGS956E
AVAILABLE COLORS	SS	SS
NUMBER OF BURNERS	5	5
ADA COMPLIANT	•	•
FEATURES		
COOKSHIELD FINISH	•	•
DUAL RING BURNER	17,000 BTU	20,000 BTU
DIRECT SPARK IGNITION	•	•
EVEN-HEAT™ SIMMER BURNER	6,000 BTU	6,000 BTU
EVEN-HEAT™ TORCH BURNER	10,000 BTU	10,000 BTU
FLAME-SENSING™ RE-IGNITION	•	•
FULL-WIDTH CAST-IRON GRATES	•	•
KNOBS	Back-Lit	Back-Lit
ACCESSORIES		
GRIDDLE	Included	Included
LP CONVERTIBLE KIT	•	•
DIMENSIONS		
HEIGHT X WIDTH X DEPTH	3-11/16" X 30" X 21"	3-11/16" X 36-1/4" X 21"



KCES550H

- Five Elements - 1800W, 3000/1900W, 1200W, 3200/2300W, 1300W
- 10" Even-Heat™ Ultra Power™ Element with Simmer Setting
- 6" Even-Heat™ Element with Melt Setting
- 10"/6" Ultra Power™ Double-Ring Round Element
- Hot Surface Indicator
- 8" 1800 watt Round Element
- 6" 1800 watt Round Element
- Metal Control Knobs
- Control Lock



KCES556H

- + **Five Elements - 1800W, 1300W, 3000/2200/1100W, 3200W, 1200W**
- 10" Even-Heat™ Ultra Power™ Element with Simmer Setting
- 6" Even-Heat™ Element with Melt Setting
- 10"/6" Ultra Power™ Double-Ring Round Element
- + **12"/9"/6" Triple-Ring Round Element**
- Hot Surface Indicator
- + **2 - 6" 1200 Watt Round Elements**
- Metal Control Knobs
- Control Lock



KCES950K

- + **Five Elements - 1200W, 1300W, 3200/2300W, 1800W, 3000/1900W**
- 10" Even-Heat™ Ultra Power™ Element with Simmer Setting
- 6" Even-Heat™ Element with Melt Setting
- 10"/6" Ultra Power™ Double-Ring Round Element
- + **10"/6" Even-Heat™ Ultra Power™ Element with Simmer Setting**
- Hot Surface Indicator
- 8" 1800 watt Round Element
- 6" 1200 watt Round Element
- + **Touch activated controls**
- Control Lock



KCES956K

- + **Five Elements - 3000/2200/1100W, 3200/2300W, 1200W, 1800W, 1300W**
- 10" Even-Heat™ Ultra Power™ Element with Simmer Setting
- 6" Even-Heat™ Element with Melt Setting
- + **2 - 10"/6" Ultra Power™ Double-Ring Round Element**
- 10"/6" Even-Heat™ Ultra power™ Element with Simmer Setting
- Hot Surface Indicator
- + **12"/9"/6" Triple-Ring Round Element**
- 8" 1800 watt Round Element
- 6" 1200 watt Round Element
- Touch activated controls
- Control Lock

+ Indicates Step-Up Feature

©/™ © 2025 KitchenAid. All rights reserved.

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

KCGS556ESS
BRAND

K = KitchenAid®

CGS556ESS
PLATFORM

C = Cooktop

CGS556ESS
CONFIGURATION

E = Electric
G = Gas
I = Induction

CGS556ESS
SUITE LEVEL

D = Downdraft
S = Stainless Surface
G = Smoothtop (Glass)

CGS556ESS
FEATURE LEVEL

10-99 = The higher the number the more features available.

CGS556ESS
WIDTH

0 = 30 in 6 = 36 in

CGS556ESS
YEAR OF LAUNCH

E = 2015 J = 2019
G = 2017 K = 2020
H = 2018

CGS556ESS
COLOR

BL = Black
SS = Stainless Steel



KCED600G

+ Downdraft Ventilation
+ 300 CFM Motor Class Exhaust Rating**

- Four Elements - 3200W, 1300W, 3000/1400W
- 10" Even-Heat™ Ultra Power™ Element with Simmer Setting
- 6" Even-Heat™ Element with Melt Setting
- 9"/6" Ultra Power™ Double-Ring Round Element
- 3 Speed Fan control
- Convertible to Duct Free Ventilation
- Cookshield Finish for Glass surface
- Power on indicator light
- Hot surface indicator



KCED606G

+ Five Elements - 3200W, 1200W, 1300W, 1800W, 3000W

- Downdraft Ventilation
- 300 CFM Motor Class Exhaust Rating**
- 10" Even-Heat™ Ultra Power™ Element with Simmer Setting
- 6" Even-Heat™ Element with Melt Setting
- + 12"/9" Ultra Power™ Double-Ring Round Element**
- Convertible to Duct Free Ventilation
- Cookshield Finish for Glass surface
- Power on indicator light
- Hot surface indicator



KCIG550J

- + Sensor Zones Induction Technology**
- Five Zones - 2100/3600W, 1200/1600W, 1800/2100W, 1200/1600W, 1800/2100W
- + Auto Presets for Melt, Simmer, Keep Warm, & Boil**
- + Power Boost Function**
- + Pan Size Detection**
- Touch-activated controls
- Control Lock



KCIG556J

- Sensor Zones Induction Technology
- Five Zones - 2100/3600W, 2100/3000W, 1200/1600W, 1200/1600W, 2100/3000W
- Auto Presets for Melt, Simmer, Keep Warm, & Boil
- Power Boost Function
- Pan Size Detection
- + Assisted cooking modes for Boil, Fry and Grill**
- Touch-activated controls
- Control Lock

+ Indicates Step-Up Feature

**Performance varies based on installation. Resources available at HVI.org
 ©/™ © 2025 KitchenAid. All rights reserved.

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

K C G S 5 5 6 E S S
BRAND

K = KitchenAid®

K C G S 5 5 6 E S S
PLATFORM

C = Cooktop

K C G S 5 5 6 E S S
CONFIGURATION

E = Electric
 G = Gas
 I = Induction

K C G S 5 5 6 E S S
SUITE LEVEL

D = Downdraft
 S = Stainless Surface
 G = Smoothtop (Glass)

K C G S 5 5 6 E S S
FEATURE LEVEL

10-99 = The higher the number the more features available.

K C G S 5 5 6 E S S
WIDTH


0 = 30 in 6 = 36 in

K C G S 5 5 6 E S S
YEAR OF LAUNCH

E = 2015 J = 2019
 G = 2017 K = 2020
 H = 2018

K C G S 5 5 6 E S S
COLOR

BL = Black
 SS = Stainless Steel



KCIT730S

+ TempCook™ Induction Technology

- Temperature Control Presets
- Five Zones - 2600/3700W, (2) 2500/3700W, 2300/3200W, 1500/2200W

+ Connected Appliance

+ WipeClean™ Coating

- LED Tap Touch
- Flush Install
- Requires Induction-Compatible Cookware

+ Voice Control

- Control Lock

+ Even-Heat™ Zone



KCIT736S

• TempCook™ Induction Technology

- Temperature Control Presets
- Five Zones - 2500/1200W, (3) 2500/3700W, 2600/3700W

• Connected Appliance

• WipeClean™ Coating

- LED Tap Touch
- Flush Install
- Requires Induction-Compatible Cookware
- Voice Control
- Control Lock
- Even-Heat™ Zone



KCID930S

- Four Zones - 2300W/3000W (2) Boost, 1400W/2100W (2) Boost

- LED Tap Touch
- Assisted Cooking Presets
- Flush Install
- Black Lit Touch Controls
- Convertible to Duct-Free Ventilation

+ Downdraft Induction

+ Dishwasher Safe Grease Filter

- Requires Induction-Compatible Cookware



KCID936S

- Four Zones - 2300W/3000W (2), 1400W/2100W (2)

• LED Tap Touch

+ Bridge XL Even-Heat™ Zone

- Assisted Cooking Presets
- Flush Install
- Black Lit Touch Controls
- Convertible to Duct-Free Ventilation
- Downdraft Induction
- Dishwasher Safe Grease Filter
- Requires Induction-Compatible Cookware



+ Indicates Step-Up Feature

©/™ © 2025 KitchenAid. All rights reserved.

UNDERSTAND THE MODEL NUMBERS

Use this handy tool to decode the model numbers for KitchenAid brand's cooktop lineup.

KCGS556ESS
BRAND

K = KitchenAid®

CGS556ESS
PLATFORM

C = Cooktop

CGS556ESS
CONFIGURATION

E = Electric

G = Gas

I = Induction

CGS556ESS
SUITE LEVEL

D = Downdraft

S = Stainless Surface

G = Smoothtop (Glass)

CGS556ESS
FEATURE LEVEL

10-99 = The higher the number the more features available.

CGS556ESS
WIDTH

0 = 30 in

6 = 36 in

CGS556ESS
YEAR OF LAUNCH

E = 2015

J = 2019

G = 2017

K = 2020

H = 2018

CGS556ESS
COLOR

BL = Black


SS = Stainless Steel

RADIANT & INDUCTION COOKTOP SPECIFICATIONS



COOKTOPS MODELS	KCES550H	KCES556H	KCES950K	KCES956K
AVAILABLE COLORS	SS / BL	SS / BL	SS / BL	SS / BL
NUMBER OF ELEMENTS	5	5	5	5
ADA COMPLIANT	•	•	•	•
FEATURES				
6" EVEN-HEAT™ ELEMENT WITH MELT SETTING	•	•	•	•
EVEN-HEAT™ ULTRA POWER™ ELEMENT WITH SIMMER SETTING	10"	10"	10"/6"	10"/6"
ULTRA POWER™ DOUBLE-RING ROUND ELEMENT	10"/6"		10"/6"	
TRIPLE-RING ROUND ELEMENT		12"/9"/6"		12"/9"/6"
8" 1800-WATT ROUND ELEMENT	•		•	•
6" 1200-WATT ROUND ELEMENT	•	2	•	•
CONTROL LOCK	•	•	•	•
HOT SURFACE INDICATOR	•	•	•	•
METAL CONTROL KNOBS	•	•		
TOUCH ACTIVATED CONTROLS			•	•
DIMENSIONS				
HEIGHT X WIDTH X DEPTH	5-1/4" X 30-3/8" X 21-3/4"	5-1/4" X 35-7/8" X 21-3/4"	3-5/8" X 29" X 20-1/4"	3-5/8" X 34.43" X 20-1/4"

RADIANT & INDUCTION COOKTOP SPECIFICATIONS



COOKTOPS MODELS	KCED600G	KCED606G	KCIG550J	KCIG556J
AVAILABLE COLORS	SS / BL	SS / BL	SS / BL	BL
NUMBER OF ELEMENTS/ZONES	4	5	5	5
SENSOR INDUCTION TECHNOLOGY			•	•
ADA COMPLIANT			•	•
FEATURES				
6" EVEN-HEAT™ ELEMENT WITH MELT SETTING	•	•		
EVEN-HEAT™ ULTRA POWER™ ELEMENT WITH SIMMER SETTING	10"	10"		
ULTRA POWER™ DOUBLE-RING ROUND ELEMENT	9 7/8"	12 7/9"		
TRIPLE-RING ROUND ELEMENT				
8" 1800-WATT ROUND ELEMENT		•		
6" 1200-WATT ROUND ELEMENT	•	•		
AUTO PRESETS			•	•
COOKSHIELD FINISH FOR GLASS SURFACE	•	•		
DOWNDRAFT VENTILATION	•	•		
EXHAUST RATING	300 CFM*	300 CFM*		
3-SPEED FAN CONTROL	•	•		
FRAMELESS DESIGN			•	•
HOT SURFACE INDICATOR	•	•	•	•
PAN SIZE DETECTION			•	•
POWER BOOST FUNCTION			•	•
STAINLESS STEEL KNOBS	•	•		
TOUCH ACTIVATED CONTROLS			•	•
DIMENSIONS				
HEIGHT X WIDTH X DEPTH	3-5/8" X 30-7/8" X 22-1/16"	3-5/8" X 36-15/16" X 22-1/16"	2-5/16" X 31-3/16" X 21-1/4"	2-5/16" X 36-11/16" X 21-5/16"

**Performance varies based on installation. Resources available at HVI.org
©/™ © 2025 KitchenAid. All rights reserved.

RADIANT & INDUCTION COOKTOP SPECIFICATIONS



COOKTOPS MODELS	KCIT730S	KCIT736S	KCID930S	KCID936S
AVAILABLE COLORS	SS / BL	SS / BL	BL	BL
NUMBER OF ZONES	5	5	4	4
TEMPCOOK™ INDUCTION TECHNOLOGY	•	•		
ENERGY STAR CERTIFIED			•	•
FEATURES				
7-1/2" BRIDGE WITH TEMP COOK™	•	•		
7" ROUND ELEMENT	Boost		Boost	•
8" ROUND ELEMENT			Boost	•
6" ROUND ELEMENT	Boost			
9" BRIDGE				•
11" ROUND ELEMENT WITH TEMP COOK™		•		
WIPECLEAN™ COATING	•	•		
HOT SURFACE INDICATOR	•	•	•	•
PAN SIZE DETECTION	•	•	•	•
POWER BOOST FUNCTION	•	•	•	•
TOUCH ACTIVATED CONTROLS	•	•	•	•
DIMENSIONS				
HEIGHT X WIDTH X DEPTH	SS: 3.677" X 21.693" X 31.62" BS: 3.677" X 21.29" X 30.78"	SS: 3.677" X 21.693" X 36.674" BS: 3.677" X 21.29" X 36.29"	7-53/64" X 30-55/64" X 22-3/64"	7-53/64" X 36-11/32" X 22-3/64"